

# Certificate

**Specific Assessment for Materials as per  
Pressure Equipment (Safety) Regulations 2016 No. 1105 Amended  
Schedule 2, Part 4, Clause 31 (8).**

TÜV UK Limited hereby confirms as a result of the assessment that the organisation

**Maxim Tubes Company Pvt. Ltd**  
**Survey No. 105/106, Chhatral-Pansar Road,**  
**Chhatral – 382 729, Taluka :Kalol,**  
**Dist.: Gandhinagar,**  
**Gujarat, INDIA.**

Has successfully undergone a specific assessment for materials manufacture under the requirement of the Pressure Equipment (Safety) Regulations 2016 No. 1105 Amended. The Material Manufacturer has implemented, operates and maintains a Quality Assurance System in accordance with Schedule 2, Part 4, Clause 31 (8).

**Maxim Tubes Company Pvt. Ltd** are authorised to issue certificates of specific product control, within the scope of assessment as shown in Annex A.

Certificate Registration No. **0879-PESR-31(8)-26450-IN.**  
Audit Report No. 26450/SAM/HG/01.

Effective date 03-09-2026  
Valid until **31-05-2027**  
Initial certification 03-09-2026

London, 03-09-2026



TÜV UK Limited

This certificate, which remains the property of TÜV UK Ltd, was issued in accordance with the TÜV UK Ltd auditing and certification procedures as amended from time to time and its validity is subject to regular surveillance audits under the requirement of the Pressure Equipment (Safety) Regulations 2016 No. 1105 Amended providing certificates are not withdrawn or expired.

**Company**  
TÜV UK Ltd. AMP House, Suites  
27 – 29, Fifth Floor, Dingwall  
Road, Croydon, CR0 2LX  
tuv-nord.com/uk

# Annex A Page 1 of 3

to Certificate Registration No. **0879-PESR-31(8)-26450-IN.**

**Specific Assessment for Materials as per  
Pressure Equipment (Safety) Regulations 2016 No. 1105 Amended  
Schedule 2, Part 4, Clause 31 (8).**

**Maxim Tubes Company Pvt. Ltd**  
**Survey No. 105/106, Chhatral-Pansar Road,**  
**Chhatral – 382 729, Taluka :Kalol,**  
**Dist.: Gandhinagar,**  
**Gujarat, INDIA.**

**ISO 9001  
Certification Body**

Bureau Veritas Certification Holding SAS, 5<sup>th</sup> Floor,  
66 Prescott Street, London, E1 8HG, UK.

**ISO 9001  
Certificate No.**

IND.24.1521/IM/U

**Scope of Approval**

Seamless and Longitudinally Welded Tubes.

**Materials**

Austenitic, Austenitic-Ferritic and Martensitic Steels.

| Material Specification                 | Grades                                                                            | Delivery Condition           |
|----------------------------------------|-----------------------------------------------------------------------------------|------------------------------|
| EN 10216-5 (Seamless)                  | 1.4301, 1.4306, 1.4307, 1.4401, 1.4404, 1.4571, 1.4541, 1.4550                    | Hot Finished <sup>(1)</sup>  |
| ASTM A312<br>ASME SA 312<br>(Seamless) | TP304, TP304L, TP316, TP316L, TP316Ti, TP321, TP347, TP317,<br>TP317L, UNS N08904 | Hot Finished <sup>(1)</sup>  |
| ASTM A269<br>ASME SA 269<br>(Seamless) | TP304, TP304L, TP316, TP316L, TP321, TP347, TP317                                 | Hot Finished <sup>(1)</sup>  |
| EN 10216-5 (Seamless)                  | 1.4301, 1.4306, 1.4307, 1.4401, 1.4404, 1.4571, 1.4541, 1.4550                    | Cold Finished <sup>(2)</sup> |
| ASTM A312<br>ASME SA 312<br>(Seamless) | TP304, TP304L, TP316, TP316L, TP316Ti, TP321, TP347, TP317,<br>TP317L, UNS N08904 | Cold Finished <sup>(2)</sup> |
| ASTM A213<br>ASME SA 213<br>(Seamless) | TP304, TP304L, TP316, TP316L, TP316Ti, TP321, TP347, TP317,<br>TP317L, UNS N08904 | Cold Finished <sup>(2)</sup> |

**Remarks**

- (1) Dimensions = thickness 5mm to 20mm, outside diameter 65mm to 135mm.
- (2) Dimensions = thickness 0.5mm to 12.7mm, outside diameter 6mm to 273mm.

This annex is valid only when accompanied by a current ISO 9001 quality management system.

## Company

TÜV UK Ltd. AMP House, Suites  
27 – 29, Fifth Floor, Dingwall  
Road, Croydon, CR0 2LX  
tuv-nord.com/uk

# Annex A Page 2 of 3

to Certificate Registration No. **0879-PESR-31(8)-26450-IN.**

|                           |                                                         |
|---------------------------|---------------------------------------------------------|
| <b>Scope of Approval</b>  | Seamless and Longitudinally Welded Tubes.               |
| <b>Materials (Steels)</b> | Austenitic, Austenitic-Ferritic and Martensitic Steels. |

| Material Specification                 | Grades                                                                | Delivery Condition                                                   |
|----------------------------------------|-----------------------------------------------------------------------|----------------------------------------------------------------------|
| EN 10216-5 (Seamless)                  | 1.4462, 1.4539                                                        | Hot Finished <sup>(1)</sup>                                          |
| EN 10216-5 (Seamless)                  | 1.4462, 1.4539                                                        | Cold Finished <sup>(2)</sup>                                         |
| ASTM A268<br>ASME SA 268<br>(Seamless) | TP405, TP410                                                          | Cold Finished <sup>(4)</sup>                                         |
| EN 10217-7 (Welded)                    | 1.4301, 1.4306, 1.4307, 1.4401, 1.4404, 1.4571,<br>1.4541, 1.4550     | Solution annealed <sup>(3)</sup> /<br>Bright annealed <sup>(3)</sup> |
| ASTM A312<br>ASME SA 312<br>(Welded)   | TP304, TP304L, TP316, TP316L, TP316Ti, TP321,<br>TP347, TP317, TP317L | Solution annealed <sup>(3)</sup> /<br>Bright annealed <sup>(3)</sup> |
| ASTM A249<br>ASME SA 249<br>(Welded)   | TP304, TP304L, TP316, TP316L, TP321, TP347,<br>TP317                  | Solution annealed <sup>(3)</sup> /<br>Bright annealed <sup>(3)</sup> |
| ASTM A269<br>ASME SA 269<br>(Welded)   | TP304, TP304L, TP316, TP316L, TP321, TP347,<br>TP317                  | Solution annealed <sup>(3)</sup> /<br>Bright annealed <sup>(3)</sup> |
|                                        |                                                                       |                                                                      |
|                                        |                                                                       |                                                                      |

|                |                                                                                                                                                                                                                                                                                                                    |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Remarks</b> | (1) Dimensions = thickness 5mm to 20mm, outside diameter 65mm to 135mm.<br>(2) Dimensions = thickness 0.5mm to 12.7mm, outside diameter 6mm to 273mm.<br>(3) Dimensions = thickness 0.82mm to 3.3mm, outside diameter 6mm to 114.3mm.<br>(4) Dimensions = thickness 0.5mm to 5mm, outside diameter 6mm to 101.6mm. |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

This annex is valid only when accompanied by a current ISO 9001 quality management system.

**Company**  
 TÜV UK Ltd. AMP House, Suites  
 27 – 29, Fifth Floor, Dingwall  
 Road, Croydon, CR0 2LX  
 tuv-nord.com/uk

# Annex A Page 3 of 3

to Certificate Registration No. **0879-PESR-31(8)-26450-IN.**

**Scope of Approval**

Seamless and Longitudinally Welded Tubes.

**Materials (Steels)**

Austenitic, Austenitic-Ferritic and Martensitic Steels.

| Material Specification                                 | Grades                                         | Delivery Condition                                                   |
|--------------------------------------------------------|------------------------------------------------|----------------------------------------------------------------------|
| ASTM A789 / A790<br>ASME SA 789 / SA 790<br>(Seamless) | UNS S31803, UNS S32205, UNS S32750, UNS S32760 | Hot Finished <sup>(1)</sup>                                          |
| ASTM A789 / A790<br>ASME SA 789 / SA 790<br>(Seamless) | UNS S31803, UNS S32205, UNS S32750, UNS S32760 | Cold Finished <sup>(2)</sup>                                         |
| ASTM A789 / A790<br>ASME SA 789 / SA 790<br>(Welded)   | UNS S31803, UNS S32205, UNS S32750, UNS S32760 | Solution annealed <sup>(3)</sup> /<br>Bright annealed <sup>(3)</sup> |
|                                                        |                                                |                                                                      |
|                                                        |                                                |                                                                      |
|                                                        |                                                |                                                                      |

**Remarks**

- (1) Dimensions = thickness 5mm to 20mm, outside diameter 65mm to 135mm.
- (2) Dimensions = thickness 0.5mm to 12.7mm, outside diameter 6mm to 273mm.
- (3) Dimensions = thickness 0.82mm to 3.3mm, outside diameter 6mm to 114.3mm.

5mm

This annex is valid only when accompanied by a current ISO 9001 quality management system.

**End of the List**

London, 03-09-2026

*Im Jela* 

TÜV UK Limited

**Company**

TÜV UK Ltd. AMP House, Suites  
27 – 29, Fifth Floor, Dingwall  
Road, Croydon, CR0 2LX  
tuv-nord.com/uk